Early view, On-line since 31st March 2016

ГОДИШНИК

HA

СОФИЙСКИЯ УНИВЕРСИТЕТ "СВ. КЛИМЕНТ ОХРИДСКИ" БИОЛОГИЧЕСКИ ФАКУЛТЕТ КНИГА 2 – БОТАНИКА Том 100, 2015

ANNUAIRE

DE

L'UNIVERSITE DE SOFIA
"ST. KLIMENT OHRIDSKI"
FACULTE DE BIOLOGIE
LIVRE 2 – BOTANIQUE
Tome 100, 2015

СОФИЯ · 2016

ИЗДАТЕЛСТВО НА СУ "СВ. КЛИМЕНТ ОХРИДСКИ" PRESSES UNIVERSITAIRES "ST. KLIMENT OHRIDSKI"

Editor-in-Chief Prof. Maya Stoyneva-Gärtner, PhD, DrSc

Editorial Board Prof. Dimiter Ivanov, PhD, DrSc

Prof. Iva Apostolova, PhD

Prof. Mariana Lyubenova, PhD

Prof. Veneta Kapchina-Toteva , PhD Assoc. Prof. Aneli Nedelcheva, PhD Assoc. Prof. Anna Ganeva, PhD Assoc. Prof. Dimitrina Koleva, PhD Assoc. Prof. Dolya Pavlova, PhD Assoc. Prof. Juliana Atanasova, PhD

Assoc. Prof. Melania Gyosheva, PhD Assoc. Prof. Rosen Tsonev, PhD

Assistant Editor Main Assist. Blagoy Uzunov, PhD

© СОФИЙСКИ УНИВЕРСИТЕТ "СВ. КЛИМЕНТ ОХРИДСКИ"

БИОЛОГИЧЕСКИ ФАКУЛТЕТ

2016

ISSN 0204-9910 (Print)

ISSN 2367-9190 (Online)

Early view, On-line since 31st March 2016

ANNUAL OF SOFIA UNIVERSITY "ST. KLIMENT OHRIDSKI"

FACULTY OF BIOLOGY

BOOK 2 – BOTANY

Volume 100, 2015

ANNUAIRE DE L'UNIVERSITE DE SOFIA "ST. KLIMENT OHRIDSKI"

FACULTE DE BIOLOGIE

LIVRE 2 – BOTANIQUE

Tome 100, 2015

NEW RECORDS OF RARE AND THREATENED LARGER FUNGI FROM MIDDLE DANUBE PLAIN, BULGARIA

Melania M. Gyosheva^{1*} & Rossen T. Tzonev²

¹ Department of Plant and Fungal Diversity and Resources, Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences, 23 Acad. G. Bonchev St, 1113 Sofia, Bulgaria

Abstract. New data about the distribution of eleven rare larger fungi for Bulgaria from the Middle Danube Plain (Pleven District) are presented in the paper. Nine species are of a high conservation value, included in the Red List of fungi in Bulgaria. Three of them are enlisted also in the Red Data Book of the Republic of Bulgaria. Seven taxa are new records from Middle Danube Plain.

Key words: ascomycetes, basidiomycetes, Bulgarian mycota, new chorological data

Introduction

The present work provides new chorological data for eleven rare larger fungi (ascomycetes and basidiomycetes) in Bulgaria, found during the field works in 2014-2015, in the Middle Danube Plain (Pleven District). Nine species are with a high conservation value, included in the Red List of fungi in Bulgaria (GYOSHEVA ET AL. 2006). Three of them: *Amanita caesarea* (Scop.: Fr.) Pers., *Auriscalpium vulgare* Gray and *Cortinarius bulliardii* (Pers.) Fr.) are enlisted also in the Red Data Book of Plants and Fungi of the Republic of Bulgaria (GYOSHEVA 2015a-c).

Only 115 larger fungi have been reported from the Pleven's Hills so far (GYOSHEVA & TZONEV 2005). Six of them are included in the Red List of fungi in Bulgaria: *Amanita vitttadinii* (Moretti) Vittad., *A. caesarea*,

² Department of Ecology and environmental protection, Sofia University "St. Kliment Ochridski", Faculty of Biology, Department of Ecology, 8 bld. Dr. Zankov, 1164, Sofia, Bulgaria

^{*} corresponding author: M. Gyosheva - Department of Plant and Fungal Diversity and Resources, Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences, 23 Acad. G. Bonchev St, 1113 Sofia, Bulgaria; melanygyosheva@abv.bg

Arrhenia spathulata (Fr.: Fr.) Redhead, Hohenbuehelia petaloides (Bull.: Fr.) Schulzer, Hygrophorus russula (Schaeff.) Kauffman and Phallus hadriani Vent.

The Danube Plain is one of the most poorly studied floristic regions in Bulgaria regarding mycodiversity. About 130 species larger fungi (ascomycetes and basidiomycetes) have been reported so far from this region (DENCHEV & ASSYOV 2013; DIMITROVA & GYOSHEVA 2009; GYOSHEVA ET AL. 2012;, GYOSHEVA & TZONEV 2005; PEEV ET AL. 2015). Seven species are from the Red List of fungi in Bulgaria. Only two species: *Amanita caesarea* and *Pithya cupressima* (Pers.: Fr.) Fuckel are from the Red Data Book of the Republic of Bulgaria. *Tuber macrosporum* Vittad. is a rare and less known for Bulgaria species, also reported from other part of the Danube Plain (GYOSHEVA ET AL. 2012). Therefore the present paper presents important new data about the distribution in the Middle Danube Plain of these eleven rare taxa, seven of which are newly recorded for the Danube Plain and nine of which are taxa of a high conservation value.

Material and methods

The larger fungi were found during the period September – November 2014 and 2015 by the second author, in the predominant natural and secondary plant communities in the Middle Danube Plain, mostly Kailaka Protected Area: communities of *Quercus cerris* L., *Quercus fraintetto* Ten., *Carpinus orientalis* Mill., *Tilia tomentosa* Moench and plantations of *Pinus nigra* Arn. but also from the natural forests in Chernelka Natural Monument and the vicinity of Gorni Dabnik Dam. The investigated areas are almost the same with the previous research from the area (GYOSHEVA & TZONEV 2005).

The fungi were registered following the tracking method. The identification was confirmed by the use of the works of Courtecuisse & Duhem (1995), Dennis (1968), Krieglsteiner (2000, 2001) and Phillips (2006). The studied specimens are kept at the Mycological Collection of the Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences, Sofia (SOMF). The threat status follows the Red List of fungi in Bulgaria (GYOSHEVA ET Al. 2006). The author's name of fungal taxa are abbreviated according to KIRK & Ansell (2004) and Index Fungorum.

Results

New localities of rare larger fungi for Bulgaria in the Middle Danube Plain

Ascomycota

Otidea alutacea (Pers.) Massee

Specimen examined: In the Itzovo Branishte locality, between the Pleven town and Jassen village, on soil, near plantation of *Pinus nigra*, 11.10.2015, leg. R. Tzonev, det. R. Tzonev & M. Gyosheva (SOMF 26610), 43.408097N 24.564297E

Vulnerable (VU) species, previously known from the Danube Plain near Rakovitsa village (DIMITROVA & GYOSHEVA 2009).

Basidiomycota

Amanita caesarea (Scop.) Pers. (Fig. 1)

Specimen examined: near Gorni Dubnik Dam locality, in community of *Quercus cerris* and *Q. frainetto*, 02.10. 2014, leg. & det. R. Tzonev (SOMF 26611), 43.362316N 24.306672E

Vulnerable (VU) species. Enlisted in the Red Data Book of Plants and Fungi of the Republic of Bulgaria (GYOSHEVA 2015a). So far reported for the Middle Danube Plain from oak forests in Itzovo Branishte locality (GYOSHEVA & TZONEV 2005).



A. franchetii (Boud.) Fayod.

Specimen examined: Kailaka Protected Aarea, Bohotska forest, in community of *Q. cerris*, 25.10. 2015, leg. R. Tzonev, det. R. Tzonev & M. Gyosheva (SOMF 26612), 43.341909N 24.306754E..

During the field observation the species was recorded as widespread in the oak forest also in Chernelka Natural Monument (Todorovo village) and Burkach village (43.270660N 24.422897E) and the vicinities of Gorni Dabnik Dam (43.362082N 24.306754E).

Vulnerable (VU) species. The record is new for the Pleven's Hills and the Danube Plain.

Auriscalpium vulgare Gray

Specimen examined: Kailaka protected area, *P. nigra* plantation, 02.11.2015, leg. R. Tzonev, det. M. Gyosheva (SOMF 26613), 43.352035N 24.644206E.

Endangered (EN) species. Enlisted in the Red Data Book of Plants and Fungi of the Republic of Bulgaria (GYOSHEVA 2015b). The record is new for the Danube Plain.

Clitocybe alexandri (Gillet) Gillet

Specimen examined: near the Chernelka River (Chernelka Natural Monument), in forest of *Carpinus orientalis*, 25.10. 2015, leg. R. Tzonev, det. M. Gyosheva (SOMF 26614), 43.340026N 24.558050E.

The finding is new for the Danube Plain. The species is rare for Bulgaria. It was reported only once from Bulgaria - Rila Mts, Borovetz locality, in beech community (STOYCHEV & GYOSHEVA 2005).

Cortinarius bulliardii (Pers.) Fr.

Specimen examined: near the Chernelka River (Chernelka Natural Monument), in forest of *C. orientalis*, 25.10. 2015, leg. R. Tzonev, det. M. Gyosheva (SOMF 26615), 43.340249N 24.552678E.

Endangered (EN) species. Enlisted in the Red Data Book of Plants and Fungi of the Republic of Bulgaria (GYOSHEVA 2015C). This is the first record for the Danube Plain.

Hygrophorus russula (Schaeff.) Kauffman

Specimen examined: near the Chernelka River (Chernelka Natural Monument), in forest of *C. orientalis*, 25.10. 2015, leg. R. Tzonev, det. M. Gyosheva (SOMF 26616), 43.340284N 24.558032E.

Vulnerable (VU) species. It was already reported from the region: from Kailaka Protected Area, in community of *Q. cerris* and *Q. frainetto* (GYOSHEVA & TZONEV 2005).

Phallus hadriani Vent.

Specimen examined: Itzovo Branishte locality, on dry pasture, 09.11.2015, leg. R. Tzonev, det. M. Gyosheva , 43.415301N 24.556129E. .

Near Threarened (NT) species. It was reported for the Middle Danube Plain from Totleben village (GYOSHEVA & TZONEV 2005).

Pisolithus arrhizus (Scop.: Pers.) Rauschert

Specimen examined: Itzovo Branishte locality, on dry pasture, 09.11.2015, leg. R. Tzonev, det. M. Gyosheva (SOMF 26619), 43.415278N 24.554675E. .

Near Threarened (NT) species. This is the first record for the Danube Plain.

Tulostoma brumale Pers.

Specimen examined: Kailaka Protected Area, on calcareous soils, in community of *C. orientalis*, 02.11.2015, leg. R. Tzonev, det. R. Tzonev & M. Gyosheva (SOMF 26617), 43.380672N 24.632225E., Rare species for Bulgaria. Recorded for the first time from the Danube Plain.

Typhula filiformis (Bull.) Fr. (Fig. 2)

Specimen examined: Itzovo Branishte locality, between Pleven town and Jassen village, on decaying twigs and leafs in forest litter, in community of Silver Lime (*Tilia tomentosa*), 18.10.2015, leg. R. Tzonev, det. M. Gyosheva (SOMF 26618), 43.408968N 24.569255E.

It is not a common species in Bulgaria. It had been reported from Sofia region, Sofia city - Borisova Gradina Park (HINKOVA1955) and from Western Stara Planina Mts., between Tsaritchina and Tseretsel village (ASSYOV ET AL. 2010). This is the first record for the Danube Plain.

Fig. 2.



Conflict of Interests

The authors declare that there is no conflict of interests regarding the publication of this article.

References

- CURTECUISSE R. & DUHEM B. 1995. Mushrooms and toadstools of Britain and Europe. Collins Field Guide. Harper Collins Publishers, London, 480 pp.
- DENNIS, R.W.G. 1968. British Ascomycetes. J. Cramer, Lehre, 455 pp.
- DENCHEV C. M. & ASSYOV B. 2013. Checklist of the larger Basidiomycetes in Bulgaria. Mycotaxon 111: 279-282.
- DIMITROVA, E. & GYOSHEVA, M. 2009. Bulgarian *Pezizales*: diversity, distribution and ecology. Phytol. Balcan. 15 (1): 13-28.
- GYOSHEVA M. 2015a. *Amanita caesarea* (Scop.) Pers. In: PEEV D. (Ed-in-Chief), Red Data Book of the Republic of Bulgaria. Vol. 1. Plants and Fungi, Bulgarian Academy of Sciences & Ministry of Environment and Waters, Sofia, p. 863.
- GYOSHEVA M. 2015b. *Auriscalpium vulgare* Gray, PEEV D. (Ed-in-Chief), Red Data Book of the Republic of Bulgaria. Vol. 1. Plants and Fungi, Bulgarian Academy of Sciences & Ministry of Environment and Waters, Sofia, p. 773.
- GYOSHEVA M. 2015c. *Cortinarius bulliardii* (Pers.) Fr. PEEV D. (Ed-in-Chief), Red Data Book of the Republic of Bulgaria. Vol. 1. Plants and Fungi, Bulgarian Academy of Sciences & Ministry of Environment and Waters, Sofia, p. 790.
- GYOSHEVA, M., ASSYOV, B., KONSTANTINIDIS, G. & STOYKOV, D.Y. 2012. Collection of *Tuber macrosporum* from the Balkan Peninsula (Bulgaria and Greece). *Ascomycete* org. 4 (4): 75-78.
- GYOSHEVA M. M., DENCHEV C. M., DIMITROVA E. G., ASSYOV B., PETROVA R. D. & STOICHEV G. 2006. Red List of fungi in Bulgaria. Mycologia Balcanica 3: 81-87.
- GYOSHEVA M. & TZONEV R. 2005. Macromycetes from the Pleven's Hills, Danube Plain. Ann. Univ. Sof. 97 (2): 15-25.
- HINKOVA, Ts. 1955. Contribution to the Bulgarian fungal flora. Izvestiya na Botanicheskiya Institout (Sofia) 4: 376-378 (In Bulgarian).
- INDEX FUNGORUM. Retrieved from http://www.indexfungorum.org./Names/Names.asp.
- KIRK P. M. & ANSELL A. E. 2004. Authors of Fungal Nanes. Electronic version. CAB International, Wallingfort (www.index-fungorum.org/Names).
- KRIEGLSTEINER G. J. 2000. Die Großpilze Baden Württembergs. Bd 2. Ständerpilze: Leisten-, Keulen-, Korallen-, und Stoppelpilze, Bauchpilze, Röhrlings- und Täublingsartige. Eugen Ulmer Verlag, Stuttgart, 620 pp.
- KRIEGLSTEINER G. J. 2001. Die Großpilze Baden Württembergs. Bd 3. Ständerpilze: Blätterpilze I.Eugen Ulmer Verlag, Stuttgart, 634 pp.

PHILLIPS R. 2006. Mushrooms. Macmillan, Alassio., 384 pp.

STIOCHEV G. & GYOSHEVA M. 2005. New and rare macromycetes to Bulgaria. – In: GRUEV B., NIKOLOVA M. & DONEV A. (edc.) Proceeding of the Balkan Scientific Conference of Biology, 19 – 21 May 2005, Plovdiv, Bulgaria, 298-304 (http://free.hit.bg/batkiro/BCB/GS MG.pdf, accessed February 2008).

Accepted 26.01.2016

Before the publication of the final paper version of the Annual, this paper should be cited as follows:

Gyosheva M. & R. Tzonev 2016. New records of rare and threatened larger fungi from Middle Danube Plain, Bulgaria. – Annual of Sofia University, Faculty of Biology, Book 2 – Botany, 100. ISSN 0204-9910 (Print), ISSN 2367-9190 (Online), Early view, On-line since 31st March 2016, https://www.uni-sofia.bg/index.php/bul/universitett/fakulteti/biologicheski fakultet2/oficialni izdaniya

or

Gyosheva M. & R. Tzonev 2016. New records of rare and threatened larger fungi from Middle Danube Plain, Bulgaria. – Ann. Univ. Sof. 100 (2). ISSN 0204-9910 (Print), ISSN 2367-9190 (Online), Early view, On-line since 31st March 2016, https://www.uni-sofia.bg/index.php/bul/universitet_t/fakulteti/biologicheski_fakultet2/oficialni_izdaniya